

IRON-50 230 VAC Self-suction with blades 0.25 kW · 50 l/min

Liquids:  **Diesel**

IRON-50 230 VAC · 50 l/min

00190

- Self-suction - self-priming. Eccentric of self-adjusting blades
- With recirculation bypass
- Suction: 2.7 m · Delivery: 30 m
- Priming pipe suction: 5 m
- Free flow: 50 l/min
- Consumption: 1.2-2 A
- Motor: 0.25 kW 230 VAC self-ventilated 50/60 Hz single-phase with thermal protector
- S1 Continuous duty
- IP-55 Protection
- 3,000 rpm
- Connection through F1" (BSP) threads and flanges
- It has built in a cleaning steel filter of 350 µm (micron).
- ON/OFF luminous switch with IP-55 protection
- 3 m electric cable with homologated plug
- Anti-rust treatment



Size and weight (approx.):

- Dim.: 146x225x185 mm (length x width x height)
- Weight: 8.50 kg

Optional:



- F1" aluminium flange complete kit with
DIN.912 ALLEN screw 

800003022

S-50 230 VAC 50 l/min · Pump with litre meter

Liquids:  **Diesel**

IRON-50 230 VAC pump + MG-80 mechanical meter

S-50 230 VAC without base

31594-
CF00000

S-50 230 VAC + universal support

30844-
CF00000

S-50 230 VAC + base no. 4

30702-
CF00000

Size and weight (approx.):

- Dim.: 450x300x325 mm (length x width x height)
- Weight: 16.8 kg

IRON-50 230 VAC pump + MGE-110 electronic meter

SE-50 230 VAC without base

SE-50 230 VAC + universal support

SE-50 230 VAC + base no. 4

31612-
CF00000

30845-
CF00000

30713-
CF00000



Optional accessories:

- PSF-040 · Manual nozzle + 4 m Ø19 mm delivery hose with adapters in both ends

803406072

- PA-60 · Automatic nozzle + 4 m Ø19 mm delivery hose with adapters in both ends

803406073

- F1" aluminium flange kit

800003027

- Stainless filter-sieve of 350 µm (micron) Ø33 mm (for the flange inner)

460000003



KIT EQUIPE

Liquids: **Diesel**

KIT EQUIPE S-50 230 VAC

55050-
CF00000

KIT EQUIPE SE-50 230 VAC

55051-
CF00001

Composed of:

- [IRON-50 230 VAC](#) pump
- [MG-80](#) mechanical or [MGE-110](#) electronic meter
- [FG-100](#) transparent microfilter of 2-litre capacity, 5 µm (micron) · water-repellent with drain valve
- [AS-5B](#) outdoor cabinet made of steel sheet with a lower opening to pass the hose, inner nozzle hanger and locking with key and/or padlock (padlock not included)



Size (approx.):

Dim.: 620x330x585 mm (length x width x height)

KITS + CABINET

Liquids: **Diesel**

KIT S-50 230 VAC + AS-5P

55110-
CF00000

KIT SE-50 230 VAC + AS-5P

55111-
CF00000

The kit is composed of:

- [IRON-50 230 VAC](#) pump
- [MG-80](#) mechanical or [MGE-110](#) electronic meter
- [AS-5P](#) outdoor cabinet with nozzle hanger, made of steel sheet with a lower opening to pass the hose, external nozzle hanger made of PA + Fibreglass with micro-switch in order to automatically stop the pump only hanging the nozzle and locking with key and/or padlock (padlock not included)



HORIZONTAL COMPLETE KITS WITH IRON-50 230 VAC PUMP

Liquids:  **Diesel**

The horizontal kits are equipped with:

- **IRON-50 230 VAC** pump (with or without meter)
- **PSF-040** manual or ***PA-60** automatic nozzle
- Accessories:
 - 4 m antistatic delivery hose Ø3/4" double layer, special for diesel, with adapters in both ends
 - 1.70 m hose Ø25 mm special for diesel
 - 2 adapters M1"x25PP
 - 2 brackets 25x40 mm
 - PP lower filter

* Swivel included

IRON-50H 230 VAC KIT (IRON-50 230 VAC + accessories + nozzle)

IRON-50H 230 VAC KIT + PSF-040 manual nozzle

16000-
CF00000

IRON-50H 230 VAC KIT + PA-60 automatic nozzle

16000-
CF00001



S-50H 230 VAC KIT (IRON-50 230 VAC + accessories + MG-80 + nozzle)

S-50H 230 VAC KIT + PSF-040 manual nozzle

16001-
CF00000

S-50H 230 VAC KIT + PA-60 automatic nozzle

16001-
CF00001



SE-50H 230 VAC KIT (IRON-50 230 VAC + accessories + MGE-110 + nozzle)

SE-50H 230 VAC KIT + PSF-040 manual nozzle

16002-
CF00000

SE-50H 230 VAC KIT + PA-60 automatic nozzle

16002-
CF00001



VERTICAL COMPLETE KITS WITH TELESCOPIC TUBE AND IRON-50 230 VAC PUMP

The vertical kits are equipped with:

- [IRON-50 230 VAC](#) pump (with or without meter)
- [PSF-040](#) manual or [*PA-60](#) automatic nozzle
- Accessories:
 - M1" F1 1/4" telescopic tube kit, height 1.90 m with filter built in
 - 4 m antistatic delivery hose Ø3/4" double layer, special for diesel with adapters on both ends
 - MF1" brass elbow

**Swivel adapter included*

IRON-50V 230 VAC KIT (IRON-50 230 VAC + accessories + nozzle)

IRON-50V 230 VAC KIT + PSF-040 manual nozzle

16003-
CF00000

IRON-50V 230 VAC KIT + PA-60 automatic nozzle

16003-
CF00001

S-50V 230 VAC (IRON-50 230 VAC + accessories + MG-80 + nozzle)

S-50V 230 VAC KIT + PSF-040 manual nozzle

16004-
CF00000

S-50V 230 VAC KIT + PA-60 automatic nozzle

16004-
CF00001



SE-50V 230 VAC KIT (IRON-50 230 VAC + accessories + MGE-110 + nozzle)

SE-50V 230 VAC KIT + PSF-040 manual nozzle

SE-50V 230 VAC KIT + PA-60 automatic nozzle

16005-
CF00000

16005-
CF00001





©2008 **GESPASA · TOT COMERCIAL S.A.** · NIF A25031154 · Partida Horta d'Amunt s/n · Apartat de Correus núm. 149 · 25600 · BALAGUER (Lleida) SPAIN
Tel.: **++34 (9)73 45 10 72** · Fax: **++34 (9)73 44 84 00** · [PRIVACY POLICY](#) · www.cenics.net